

## References

- Abramowicz, D.A. 1995. Aerobic and anaerobic PCB biodegradation in the environment. *Environmental Health Perspectives*, 103: 97–99.
- Ács, É., Borsodi, A.K., Makk, J., Molnár, P., Mózes, A., Rusznyák, A., Reskóné, M.N. & Kiss, K.T. 2003. Algological and bacteriological investigations on reed periphyton in Lake Velencei, Hungary. *Hydrobiologia*, 506–509(1–3): 549–557.
- Allen, H.K., Donato, J., Wang, H.H., Cloud-Hansen, K.A., Davies, J. & Handelsman, J. 2010. Call of the wild: Antibiotic resistance genes in natural environments. *Nature reviews. Microbiology*, 8(4): 251–259.
- Allirand, J.-M. & Gosse, G. 1995. An above-ground biomass production model for a common reed (*Phragmites communis* Trin.) stand. *Biomass and Bioenergy*, 9(6): 441–448.
- Altimira, F., Yáñez, C., Bravo, G., González, M., Rojas, L.A. & Seeger, M. 2012. Characterization of copper-resistant bacteria and bacterial communities from copper-polluted agricultural soils of central Chile. *BMC Microbiology*, 12(1): 193.
- APHA. 1995. *Standard Methods for the Examination of Water and Wastewater*. 19<sup>th</sup> Ed. Washington, DC: American Public Health Association.
- Appleyard, B. 2007. *Smart Cities: Solutions for China's Rapid Urbanization*. Natural Resources Defense Council.
- Arias, B., Pevida, C., Feroso, J., Plaza, M.G., Rubiera, F. & Pis, J.J. 2008. Influence of torrefaction on the grindability and reactivity of woody biomass. *Fuel Processing Technology*, 89(2): 169–175.
- Arup. 2008. SPeAR: Product overview. [Online]. 2008. Available from: <http://www.arup.com/> [Accessed: 6 October 2013].
- Atchison, J.E. 1995. Twenty-five years of global progress in non-wood plant fiber pulping—historical highlights, present status, and future prospects. In: *Proceedings of the 1995 Pulping Conference*, 1–5 October, Chicago, IL, vol. 1. Atlanta, GA: TAPPI Press, 1995: 91–101.

## References

- Bai, F., Li, W.P. & Li, Z.H. 2008. Analysis on the main causes resulting in vegetation degeneration in the Heihe River Basin. *Arid Zone Research*, 25: 219–224.
- Bais, H.P., Park, S.W., Weir, T.L., Callaway, R.M. & Vivanco, J.M. 2004. How plants communicate using the underground information superhighway. *Trends in Plant Science*, 9(1): 26–32.
- Balaji, D.S., Basavaraja, S., Bedre Mahesh, D., Prabhakar, B.K. & Venkataraman, A. 2009. Extracellular biosynthesis of functionalized silver nanoparticles by strains of *Cladosporium cladosporioides*. *Colloids Surf B*, 68: 88–92.
- Baldantoni, D., Alfani, A., Di Tommasi, P., Bartoli, G. & De Santo, A.V. 2004. Assessment of macro and microelement accumulation capability of two aquatic plants. *Environmental Pollution*, 130(2): 149–56.
- Baran, M., Váradyová, Z., Kráámar, S. & Hedbávn, J. 2002. The Common Reed (*Phragmites australis*) as a source of roughage in ruminant nutrition. *Acta Vet. Brno*, 72: 445–449.
- Baratieri, M., Baggio, P., Fiori, L. & Grigiante, M. 2008. Biomass as an energy source: Thermodynamic constraints on the performance of the conversion process. *Bioresource Technology*, 99(15): 7063–7073.
- Barnett, T.P., Adam, J.C. & Lettenmeier, D.P. 2005. Potential impacts of a warming climate on water availability in snow-dominated regions. *Nature*, 438: 303–309.
- Barton, D.N. 2005. Economic analysis of the value of water in alternative uses in the Lake Wuliangsuhai catchment. Inner Mongolia lake restoration project, NIVA.
- Baruch, Z. 2011. *Acta Oecologica* Leaf trait variation of a dominant neotropical savanna tree across rainfall and fertility gradients. *Acta Oecologica*, 37(5): 455–461.
- Barz, M., Ahlhaus, M. & Wichtmann, W. 2006. Energetic Utilization of Common Reed for Combined Heat and Power Generation. In: 2nd International Baltic Bioenergy Conference. 2006, Stralsund, 168–175.
- Bayannur Government. 2013. Wulate Qianqi Year Report: 2013. Bayannur, China.

- BCAH. 2013. Statistics on crops production Bayannur City Animal and Husbandry Bureau. [Online]. 2013. Bayannur City Agriculture and Husbandry Bureau. Available from: <http://www.bmagri.gov.cn/Pages/DataCenter/CropList.aspx> [Accessed: 12 April 2012].
- BCPG. 2010. Wuliangshuai comprehensive treatment plan (Wuliangshuai Zonghe Zhili Guihua). Bayannur, China: Bayannur City People's Government.
- Bedard, D.L., Ritalahti, K.M. & Löffler, F.E. 2007. The Dehalococcoides population in sediment-free mixed cultures metabolically dechlorinates the commercial polychlorinated biphenyl mixture aroclor 1260. *Applied and Environmental Microbiology*, 73(8): 2513–2521.
- Bell, S. & Morse, S. 2008. Sustainability indicators: Measuring the immeasurable? 2nd Ed. London: Earthscan.
- Benson, D.R. & Silvester, W.B. 1993. Biology of *Frankia* strains, actinomycete symbionts of actinorhizal plants. *Microbiological Reviews*, 57(2): 293–319.
- Berendsen, R.L., Pieterse, C.M.J. & Bakker, P.A.H.M. 2012. The rhizosphere microbiome and plant health. *Trends in Plant Science*, 17(8): 478–486.
- Berg, J., Tom-Petersen, A. & Nybroe, O. 2005. Copper amendment of agricultural soil selects for bacterial antibiotic resistance in the field. *Letters in Applied Microbiology*, 40(2): 146–151.
- Bergman, P.C.A. & Kiel, J.H.A. 2005. Torrefaction for biomass upgrading. In: 14th European Biomass Conference & Exhibition. October 2005, Paris.
- BIOMASS Energy Centre. 2013. Typical calorific values of fuels. [Online]. Available from: [http://www.biomassenergycentre.org.uk/portal/page?\\_pageid=75,20041&\\_dad=portal&\\_schema=PORTAL](http://www.biomassenergycentre.org.uk/portal/page?_pageid=75,20041&_dad=portal&_schema=PORTAL) [Accessed: 13 May 2013].
- BLRB. 2012. Bayannur overall plan on landuse 2006–2020. [Online]. 2012. Available from: [http://www.nmggtt.gov.cn/nmgt/html/bayannaer/col5010/2012-03/30/20120330113456177973861\\_1.html](http://www.nmggtt.gov.cn/nmgt/html/bayannaer/col5010/2012-03/30/20120330113456177973861_1.html) [Accessed: 20 November 2012].
- Boeuf-Tremblay, V., Plantureux, S. & Guckert, A. 2005. Influence of mechanical impedance on root exudation of maize seedlings at two development stages. *Plant and Soil*, 172: 279–287.

## References

- Bonanno, G. & Lo Giudice, R. 2010. Heavy metal bioaccumulation by the organs of *Phragmites australis* (common reed) and their potential use as contamination indicators. *Ecological Indicators*, 10(3): 639–645.
- Boothroyd, I.K.G. & Stark, J. 2000. Use of invertebrates in monitoring. In: K. J. Collier & M. J. Winterbourn eds. *New Zealand stream invertebrates: ecology and implications for management*. Christchurch: New Zealand Limnological Society, NIWA, 344–373.
- Borin, S., Brusetti, L., Mapelli, F., D’Auria, G., Brusa, T., Marzorati, M., Rizzi, A., Yakimov, M., Marty, D., De Lange, G.J., Van der Wielen, P., Bolhuis, H., McGenity, T.J., Polymenakou, P.N., Malinverno, E., Giuliano, L., Corselli, C. & Daffonchio, D. 2009. Sulfur cycling and methanogenesis primarily drive microbial colonization of the highly sulfidic Urania deep hypersaline basin. *Proceedings of the National Academy of Sciences of the United States of America*, 106(23): 9151–9156.
- Borruso, L. 2014. Rhizobacterial communities as bioindicators of environmental stresses in freshwater ecosystems. PhD Thesis. Bolzano, Italy: Free University of Bozen-Bolzano.
- Bradshaw, A.D. & Chadwick, M.J. 1980. *The restoration of land*. University of California Press, Berkeley, Calif.
- Bragato, C., Brix, H. & Malagoli, M. 2006. Accumulation of nutrients and heavy metals in *Phragmites australis* (Cav.) Trin. ex Steudel and *Bolboschoenus maritimus* (L.) Palla in a constructed wetland of the Venice lagoon watershed. *Environmental Pollution*, 144(3): 967–975.
- Breckle, S.W., Wucherer, W., Dimeyeva, L.A. & Ogar, N.P. 2012. *Aralkum – a Man-Made Desert*. Springer, Heidelberg.
- Bridgeman, T.G., Jones, J.M., Shield, I. & Williams, P.T. 2008. Torrefaction of reed canary grass, wheat straw and willow to enhance solid fuel qualities and combustion properties. *Fuel*, 87(6): 844–856.
- Bridgwater, A. V. 2004. Biomass fast pyrolysis. *Thermal Science*, 8(2): 21–49.
- Brown, A. & Imberger, J. 2006. *The index of sustainable functionality (ISF): A prospective tool for assessing the sustainability of the impact of the World Bank projects*. Report. Perth, Western Australia: Centre for Water Research.

- Bruelheide, H., Manegold, M. & Jandt, U. 2004. The genetical structure of *Populus euphratica* and *Alhagi sparsifolia* stands in the Taklamakan Desert. In: M. Runge & X. M. Zhang eds. Ecophysiology and habitat requirements of perennial plant species in the Taklamakan Desert. Aachen: Shaker, 1–153.
- Brundtland, G.H. 1987. Our Common Future: The World Commission on Environment and Development. Oxford: Oxford University Press.
- Cardinale, M., Brusetti, L., Quatrini, P., Borin, S., Puglia, A.M., Rizzi, A., Zanardini, E., Sorlini, C., Corselli, C. & Daffonchio, D. 2004. Comparison of different primer sets for use in automated ribosomal intergenic spacer analysis of complex bacterial communities. *Applied and Environmental Microbiology*, 70(10): 6147–6156.
- Chambers, R.M., Meyerson, L.A. & Saltonstall, K. 1999. Expansion of *Phragmites australis* into tidal wetlands of North America. *Aquatic Botany*, 3–4: 261–273.
- Chang-wei, L., Jiang, H., Ying, L., Hai-fang, M., Hua-lin, L. & Feng-jiao, W. 2010. Acta Ecologica Sinica Temporal and spatial distribution of biogenic silica and its significance in the Wuliangsuhai Lake and Daihai Lake. *Acta Ecologica Sinica*, 30(2): 100–105.
- Chapin, F.S., Matson, P.A. & Mooney, H.A. 2002. Principles of Terrestrial Ecosystem Ecology. 2<sup>nd</sup> Ed. F Stuart Chapin III, P. A. Matson, & H. A. Mooney eds. New York: Springer-Verlag.
- Chen, H., Jia, B. & Lau, S.S.Y. 2008. Sustainable urban form for Chinese compact cities: Challenges of a rapid urbanized economy. *Habitat International*, 32(1): 28–40.
- Chen, H., Zhu, Q., Peng, C., Wu, N., Wang, Y., Fang, X., Jiang, H., Xiang, W., Chang, J., Deng, X. & Yu, G. 2013. Methane emissions from rice paddies natural wetlands, lakes in China: Synthesis new estimate. *Global Change Biology*, 19(1): 19–32.
- Cheng, S. 2003. Heavy metal pollution in China: Origin, pattern and control. *Environmental Science and Pollution Research International*, 10(3): 192–198.
- Chivu, I.A. 1968. The use of reeds as raw material for pulp and paper production. In: FAO ed. Practical experiment in the cropping of reeds for

## References

- the manufacture of pulp and paper: Economic results. Food and Agriculture Organization of the United Nations, 877–899.
- Cirella, G.T. & Tao, L. 2008. Measuring sustainability: an application using the index of sustainable functionality in South East Queensland, Australia. *The International Journal of Interdisciplinary Social Sciences*, 3(8): 231–240.
- Cirella, G.T. & Zerbe, S. 2014a. Index of sustainable functionality: Procedural developments and application in Urat Front Banner, Inner Mongolia Autonomous Region. *The International Journal of Environmental Sustainability*, In press.
- Cirella, G.T. & Zerbe, S. 2014b. Quizzical societies: A closer look at sustainability and principles of unlocking its measurability. *The International Journal of Science in Society*, 5(3): 29–45.
- CMF. 1990. *The Forests of Xinjiang*. Urumqi: China Ministry of Forestry, Xinjiang Peoples Publishing House.
- Cocking, E.C. 2003. Endophytic colonization of plant roots by nitrogen-fixing bacteria. *Plant and Soil*, 252(1): 169–175.
- Compant, S., Reiter, B., Sessitsch, A., Nowak, J., Clément, C. & Ait Barka, E. 2005. Endophytic colonization of *Vitis vinifera* L. by plant growth-promoting bacterium *Burkholderia* sp. strain PsJN. *Applied and Environmental Microbiology*, 71(4): 1685–1693.
- Conedera, M., Krebs, P., Tinner, W., Pradella, M. & Torriani, D. 2004. The cultivation of *Castanea sativa* (Mill.) in Europe, from its origin to its diffusion on a continental scale. *Vegetation History and Archaeobotany*, 13: 161–179.
- Conkle, J.L., White, J.R. & Metcalfe, C.D. 2008. Reduction of pharmaceutically active compounds by a lagoon wetland wastewater treatment system in Southeast Louisiana. *Chemosphere*, 73(11): 1741–1748.
- Craine, J.M., Lee, W.G., Bond, W.J., Williams, R.J. & Johnson, L.C. 2005. Environmental constraints on a global relationship among leaf and root traits of grasses. *Ecology*, 86(1): 12–19.
- Cubars, E. 2010. Analysis of reed-covered surface and of potential biomass in Latvia's lakes. COFREEN: European Regional Development Fund.

- Curtis, T.P., Sloan, W.T. & Scannell, J.W. 2002. Estimating prokaryotic diversity and its limits. *Proceedings of the National Academy of Sciences of the United States of America*, 99(16): 10494–10499.
- Daily, G.C. 1995. Restoring Value to the World's Degraded Lands. *Science*, 269(5222): 350–354.
- Daly, H.E. 1996. *Beyond Growth: The Economics of Sustainable Development*. Boston: Beacon Press.
- Daly, H.E. 2006. *The Future of Sustainability*. M. Keiner ed. Dordrecht, The Netherlands: Springer.
- Daly, H.E. & Cobb, J. 1989. *For the common good: redirecting the economy toward community, the environment, and a sustainable future*. Boston: Beacon Press.
- Davies, G.R. 2013. Appraising Weak and Strong Sustainability: Searching for a Middle Ground. *Consilience: The Journal of Sustainable Development*, 10(1): 111–124.
- Dela Cruz, A. 1987. The Production of pulp from marsh grass. *Economic Botany*, 32: 46–50.
- Devuyt, D. 1999. Sustainability assessment: The application of a methodological framework. *Journal of Environmental Assessment Policy and Management*, 01(04): 459–487.
- Dienst, M., Schmieder, K., & Ostendorp, W. (2004). Dynamik der Schilfröhrichte am Bodensee unter dem Einfluss von Wasserstandsvariationen. *Limnologica - Ecology and Management of Inland Waters*, 34(1–2): 29–36.
- Döring, R. 2009. Natural capital – What's the difference? In: R. Döring ed. *Sustainability, natural capital and nature conservation*. Marburg: Metropolis-Verlag, 123–142.
- Dou, J., Liu, X. & Ding, A. 2009. Anaerobic degradation of naphthalene by the mixed bacteria under nitrate reducing conditions. *Journal of Hazardous Materials*, 165(1–3): 325–331.
- Dowling, M. & Wignaraja, G. 2006. Central Asia after fifteen years of transition: Growth, regional cooperation, and policy choices. *Asia-Pacific Development Journal*, 13(2): 113–144.

## References

- EC2. 2011. Study of potential and constraints of the biomass sector in China - Executive Summary. [Online]. 2011. Europe-China Clean Energy Centre. Available from: <http://www.ec2.org.cn/> [Accessed: 10 September 2013].
- Economist Intelligence Unit. 2005. Quality-of-life Index. [Online]. 2005. Available from: <http://www.eiu.com/> [Accessed: 20 December 2013].
- Egamberdieva, D., Kamilova, F., Validov, S., Gafurova, L., Kucharova, Z. & Lugtenberg, B. 2008. High incidence of plant growth-stimulating bacteria associated with the rhizosphere of wheat grown on salinated soil in Uzbekistan. *Environmental Microbiology*, 10(1): 1–9.
- Eissenstat, D.M. & Yanai, R.D. 1997. The Ecology of Root Lifespan. *Advances in Ecological Research*, 27(C): 1–60.
- Ejina Qizhe. 1998. Ejina Qizhe (Description of Ejina County). Beijing: Fangzhe Chubanshe.
- Elkington, J. 1998. *Cannibals With Forks: The Triple Bottom Line of 21st Century Business*. Stony Creek, CT: New Society Publishers.
- Emmanuel, E., Keck, G., Blanchard, J.M., Vermande, P. & Perrodin, Y. 2004. Toxicological effects of disinfections using sodium hypochlorite on aquatic organisms and its contribution to AOX formation in hospital wastewater. *Environment International*, 30(7): 891–900.
- Esty, D.C., Levy, M., Srebotnjak, T. & de Sherbinin, A. 2005. 2005 Environmental Sustainability Index Benchmarking National Environmental Stewardship. New Haven: Yale Center for Environmental Law & Policy.
- Eusemann, P., Petzold, A., Thevs, N. & Schnittler, M. 2013. Growth patterns and genetic structure of *Populus euphratica* Oliv. (Salicaceae) forests in NW China - Implications for conservation and management. *Forest Ecology and Management*, 297: 27–36.
- Faafeng, B., Li, T., Lindblom, E., Ye, J., Oredalen, T.J., Lövik, J.E.L. & Svenson, A. 2008. Lake Wuliangshuai Restoration Project: Water Quality Monitoring System. Norwegian Agency for Development Cooperation Agency.
- Fachagentur für nachwachsende Rohstoffe. 2012. *Nachwachsende Rohstoffe in der Industrie (Renewable raw material for industry)*. BioCat Project Group.



- Fang, J., Wang, Z., Zhao, S., Li, Y., Tang, Z., Yu, D., Ni, L., Liu, H., Xie, P., Da, L., Li, Z. & Zheng, C. 2006. Biodiversity changes in the lakes of the Central Yangtze. *Frontiers in Ecology and the Environment*, 4(7): 369–377.
- FAO. 2011. *The State of the World's Land and Water Resources for Food and Agriculture (SOLAW): Managing systems at risk*. London: Earthscan Publications Ltd.
- Fejes, J., Ratnaweera, H., Yawei, L., Lindblim, E. & Faafeng, B. 2008. Inner Mongolia Lake Restoration Project, Lake Wuliangsu Hai Comprehensive Study Extension, Final Report. Norwegian Institute for Water Research.
- Feng, Q. & Cheng, G.D. 1998. Current situation, problem and rational utilisation of water resources in Gansu Province. *Chinese J. Arid Land Research*, 11: 293–299.
- Feng, X.Q., Zhang, G.X. & Jun Xu, Y. 2013. Simulation of hydrological processes in the Zhalong wetland within a river basin, Northeast China. *Hydrology and Earth System Sciences*, 17(7): 2797–2807.
- Fisher, M.M. & Triplett, E.W. 1999. Automated approach for ribosomal intergenic spacer analysis of microbial diversity and its application to freshwater bacterial communities. *Applied and Environmental Microbiology*, 65(10): 4630–4636.
- Foliente, G., Kearns, A., Maheepala, S., Bai, X. & Barnett, G. 2007. Beyond Triple Bottom Line – Sustainable Cities: CSIRO. In: *State of Australian Cities National Conference (SOAC2007)*. 2007, Adelaide, Australia: Commonwealth Scientific and Industrial Research Organisation, 28–30 November.
- Franz, A., Burgstaller, W. & Schinner, F. 1991. Leaching with *Penicillium simplicissimum*: Influence of Metals and Buffers on Proton Extrusion and Citric Acid Production. *Applied and Environmental Microbiology*, 57(3): 769–774.
- Fränzle, O. 2006. Complex bioindication and environmental stress assessment. *Ecological Indicators*, 6(1): 114–136.
- Freschet, G.T., Cornelissen, J.H.C., van Logtestijn, R.S.P. & Aerts, R. 2010. Evidence of the 'plant economics spectrum' in a subarctic flora. *Journal of Ecology*, 98(2): 362–373.

## References

- Friberg, R. & Blasiak, W. 2002. Measurements of mass flux and stoichiometry of conversion gas from three different wood fuels as function of volume flux of primary air in packed-bed combustion. *Biomass and Bioenergy*, 23(3): 189–208.
- Frick, A., Steffenhagen, P., Zerbe, S., Timmermann, T. & Schulz, K. 2011. Monitoring of the vegetation composition in rewetted peatland with iterative decision tree classification of satellite imagery. *Photogrammetrie - Fernerkundung - Geoinformation*, 2011(3): 109–122.
- Fu, G.B., Chen, S.L., Liu, C.M. & Shepard, D. 2004. Hydro-climatic trends of the Yellow River basin for the last 50 years. *Climatic Change*, 65(1–2): 149–178.
- Gahlert, F. 2006. Schilf (*Phragmites australis*) in der Tarim-Aue, Nordwest China. [Online]. 2006. Available from: <http://laoek.botanik.uni-greifswald.de/literatur/diplom/GAHLERT> [Accessed: 1 September 2013].
- Gamauf, N. 2000. Satellitenbilddauswertung des Schilfgürtels am Neusiedler See zur Ermittlung von Rohstoffpotenzialen. PhD Thesis. Vienna, Austria: University of Natural Resources and Life Sciences.
- Garcia-Perez, M. & Metcalf, J. 2008. The Formation of Polyaromatic Hydrocarbons and Dioxins During Pyrolysis: A Review of the Literature with Descriptions of Biomass Composition, Fast Pyrolysis Technologies and Thermochemical Reactions. Pullman: Washington State University.
- Gibson, R., Agnolin, J., Hassan, S., Lawrence, D., Robinson, J.B., Tansey, J., Watson, J. & Whitelaw, G.S. 2001. Specification of sustainability-based environmental assessment decision criteria and implications for determining significance in environmental assessment. [Online]. 2001. Available from: <http://www.sustreport.org/> [Accessed: 20 December 2013].
- Giese, E., Bahro, G. & Betke, D. 1998. Umweltzerstoerungen in Trockengebieten Zentralasiens (West- und Ost-Turkestan): Ursachen, Auswirkungen, Maßnahmen. Stuttgart: Steiner.
- Giese, E. & Moßig, I. 2004. Klimawandel in Zentralasien. Zentrum für internationale Entwicklungs- und Umweltforschung (ZEU). Giessen: Justus-Liebig-Universität Giessen.

- Girotti, S., Ferri, E.N., Fumo, M.G. & Maiolini, E. 2008. Monitoring of environmental pollutants by bioluminescent bacteria. *Analytica Chimica Acta*, 608(1): 2–29.
- Glantz, M.H. 2005. Water, Climate, and Development Issues in the Amu Darya Basin. *Mitigation and Adaptation Strategies for Global Change*, 10(1): 23–50.
- Glick, B.R. 2012. *Plant Growth-Promoting Bacteria: Mechanisms and Applications*. Scientifica, 2012: 1–15.
- Glick, B.R. 2010. Using soil bacteria to facilitate phytoremediation. *Biotechnology Advances*, 28(3): 367–374.
- Gomez, C. & Bosecker, K. 1999. Leaching heavy metals from contaminated soil by using *Thiobacillus ferrooxidans* or *Thiobacillus thiooxidans*. *Geomicrobiology Journal*, 16(3): 233–244.
- Goodwin, D. 2011. Cantera: An object-oriented software toolkit for chemical kinetics, thermodynamics, and transport processes. [Online]. 2011. Available from: <http://cantera.github.io/docs/sphinx/html/index.html#> [Accessed: 1 December 2011].
- Gordon, T.J. 1994. The Delphi Method. In: AC/UNU Millennium Project, *Future Research Methodology*.
- Graneli, W. 1984. Reed *phragmites australis* (Cav.) Trin. ex Steudel as an energy source in Sweden. *Biomass*, 4(3): 183–208.
- Graneli, W. 1990. Standing crop and mineral content of reed, *Phragmites australis*, in Sweden - Management of reed stands to maximize harvestable biomass. *Folia Geobotanica*, 25(3): 291–302.
- Gries, D., Zeng, F., Foetzki, A., Arndt, S.K., Bruelheide, H., Thomas, F.M., Zhang, X. & Runge, M. 2003. Growth and water relations of *Tamarix ramosissima* and *Populus euphratica* on Taklamakan desert dunes in relation to depth to a permanent water table. *Plant, Cell and Environment*, 26: 725–736.
- Grime, J.P. 1977. Evidence for the Existence of Three Primary Strategies in Plants and Its Relevance to Ecological and Evolutionary Theory. *The American Naturalist*, 111(982): 1169.
- Gruschke, A. 1991. *Neulanderschließung in Trockengebieten der Volksrepublik China*. Hamburg, Germany: Institut für Asienkunde.

## References

- Guo, Q., Feng, Q. & Li, J. 2009. Environmental changes after ecological water conveyance in the lower reaches of Heihe River, northwest China. *Environmental Geology*, 58(7): 1387–1396.
- Habermas, J. 1965. Erkenntnis und Interesse. In: A. Hans & E. Topitsch eds. *Werturteilsstreit*, Darmstadt. Wissenschaftliche Buch Gesellschaft, 1990, 334–352.
- Häkkinen, J. 2007. Traditional use of reed. In: *Read Up on Reed!* 62–72.
- Hale, M.G., Foy, C.L. & Shay, F.J. 1971. Factors affecting root exudation. *Advances in Agronomy*, 23: 89–109.
- Hall, R.M. & Collis, C.M. 1995. Mobile gene cassettes and integrons: capture and spread of genes by site-specific recombination. *Molecular Microbiology*, 15(4): 593–600.
- Hampicke, U. 2009. Kosten der Renaturierung. In: S. Zerbe & G. Wiegleb eds. *Renaturierung von Ökosystemen in Mitteleuropa*. Spektrum Akademischer Verlag, Heidelberg, 441–457.
- Han, W.X., Fang, J.Y., Reich, P.B., Ian Woodward, F. & Wang, Z.H. 2011. Biogeography and variability of eleven mineral elements in plant leaves across gradients of climate, soil and plant functional type in China. *Ecology Letters*, 14(8): 788–796.
- Hansmann, P. 2008a. “They Call Them Golden Sticks”- Socio-economic Explorations Around the Commodity of Reed. Wageningen University, The Netherlands.
- Hansmann, P. 2008b. “They call them golden sticks”- Socio-economic explorations around the commodity of reed.
- Hansson, P.-A. & Fredriksson, H. 2004. Use of summer harvested common reed (*Phragmites australis*) as nutrient source for organic crop production in Sweden. *Agriculture, Ecosystems & Environment*, 102(3): 365–375.
- Haslam, S.M. 2010. A book of reed: (*Phragmites australis* (Cav.) Trin. ex Steudel, formerly *Phragmites communis* Trin.). Forrest Text.
- Hawke, C.J. & Jose, P. V. 1996. Reedbed management for commercial and wildlife interests. RSPB.
- He, J.-S., Wang, L., Flynn, D.F.B., Wang, X., Ma, W. & Fang, J. 2008. Leaf nitrogen: Phosphorus stoichiometry across Chinese grassland biomes. *Oecologia*, 155(2): 301–310.

- He, Z.B. & Zhao, W.Z. 2006. Characterising the spatial structures of riparian plant communities in the lower reaches of the Heihe River in China using geostatistical techniques. *Ecological Research*, 21: 551–559.
- Hedin, S.A. 1943. Reports from the Scientific Expedition to the North-Western Provinces of China under the Leadership of Dr. Sven Hedin. Part I. Stockholm.
- Heuer, H. & Smalla, K. 2007. Horizontal gene transfer between bacteria. *Environmental Biosafety Research*, 6(1–2): 3–13.
- Hijosa-Valsero, M., Fink, G., Schlüsener, M.P., Sidrach-Cardona, R., Martín-Villacorta, J., Ternes, T. & Bécares, E. 2011. Removal of antibiotics from urban wastewater by constructed wetland optimization. *Chemosphere*, 83(5): 713–719.
- Holzmann, G. & Wangelin, M. 2009. printed. *Natürliche und pflanzliche Baustoffe: Rohstoff - Bauphysik - Konstruktion [Gebundene Ausgabe] (Natural and plant construction materials: resources construction physik-Construction)*. Vieweg and Teubner.
- Hoppe, T. 1992. *Chinesische Agrarpolitik und Uygurische Agrarkultur im Widerstreit. Das sozio-kulturelle Umfeld von Bodenversalzungen und -alkalisierungen im nördlichen Tarim-Becken (Xinjiang)*. Hamburg, Germany: Institut für Asienkunde.
- Hou, L.G., Xiao, H.L., Si, J.H., Xiao, S.C., Zhou, M.X. & Yang, Y.G. 2010. Evapotranspiration and crop coefficient of *Populus euphratica* Oliv forest during the growing season in the extreme arid region northwest China. *Agricultural Water Management*, 97(2): 351–356.
- Hou, P., Beeton, R.J.S., Carter, R.W., Dong, X.G. & Li, X. 2007. Response to environmental flows in the Lower Tarim River, Xinjiang, China: An ecological interpretation of water-table dynamics. *Journal of Environmental Management*, 83(4): 383–391.
- Hu, J. & Ge, Y. 2004. Water allocation and coordination systems in the Yellow River (huanghe shuiziyuan de fenpei moshi yu xietiao jizhi). *Management World (guanli shijie)*, 8(66): 49–58.
- Hu, J. 2012. Firmly march on the path of socialism with chinese characteristics and strive to complete the building of a moderately prosperous society in all respects. [Online]. 2012. Report to the Eighteenth National Congress of

## References

- the Communist Party of China on 8 November 2012. Available from: [http://www.chinadaily.com.cn/china/2012cpc/2012-11/18/content\\_15939493.htm](http://www.chinadaily.com.cn/china/2012cpc/2012-11/18/content_15939493.htm) [Accessed: 30 April 2014].
- Hu, R., Yang, C., Ma, H., Jiang, F. & Urkunbek, A. 1994. Glaciers and Lakes in the Tianshan Mountains and Climate Trends. *Arid Land Geography (Ganhan Qu Dili)*, 17: 1–9.
- Huang, P.Y. 1986. A Preliminary Study on the Decline of the Distribution Range and Regeneration of the Forest Land of *Populus euphratica* in the Tarimpendi (Basin). *Acta Phytocologica et Geobotanica Sinica*, 10: 302–309.
- Hubacek, K., Guan, D., Barrett, J. & Wiedmann, T. 2009. Environmental implications of urbanization and lifestyle change in China: Ecological and Water Footprints. *Journal of Cleaner Production*, 17(14): 1241–1248.
- Iital, A., Klõga, M., Kask, Ü., Voronova, V. & Cahill, B. 2012. Reed harvesting. In: A. Schultz-Zehden & M. Matczak eds. *Compendium. An Assessment of Innovative and Sustainable Uses of Baltic Marine Resources*. 103–124.
- Imberger, J., Mamouni, E.D., Anderson, J., Ng, M., Nicol, S. & Veale, A. 2007. The index of sustainable functionality: a new adaptive, multicriteria measurement of sustainability – application to Western Australia. *International Journal of Environment and Sustainable Development*, 6(3): 323–355.
- Institute for Economics and Peace. 2007. *Global Peace Index*. [Online]. 2007. Available from: <http://economicsandpeace.org/> [Accessed: 12 January 2014].
- IUCN. 2008. *International Union for Conservation of Nature Website*. [Online]. 2008. Available from: <http://www.iucn.org/> [Accessed: 20 December 2013].
- Jax, K., Barton, D.N., Chan, K.M.A., de Groot, R., Doyle, U., Eser, U., Görg, C., Gómez-Baggethun, E., Griewald, Y., Haber, W., Haines-Young, R., Heink, U., Jahn, T., Joosten, H., Kerschbaumer, L., Korn, H., Luck, G.W., Matzdorf, B., Muraca, B., Neßhöver, C., Norton, B., Ott, K., Potschin, M., Rauschmayer, F., von Haaren, C. & Wichmann, S. 2013. Ecosystem services and ethics. *Ecological Economics*, 93: 260–268.

- Ji, Y.H., Zhou, G.S., Lv, G.H., Zhao, X.L. & Jia, Q.Y. 2009. Expansion of *Phragmites australis* in the Liaohe Delta, north-east China. *Weed Research*, 49(6): 613–620.
- Jiang, F., Ma, H., Hu, R. & Yuan, Y. 1997. Response of Water Resources in Xinjiang to Future Climate Changes in Central Asia. *Arid Land Geography (Ganhan Qu Dili)*, 20: 40–46.
- Jiang, X. & Liu, C. 2010. The influence of water regulation on vegetation in the lower Heihe River. *Journal of Geographical Sciences*, 20(5): 701–711.
- Jin, X., Schaepman, M., Clevers, J., Su, Z. & Hu, G. 2010. Correlation between annual runoff in the Heihe River to the vegetation cover in the Ejina Oasis (China). *Arid Land Research and Management*, 24(1): 31–41.
- Jolivet, M., Barrier, L., Dominguez, S., Guerit, L., Heilbronn, G. & Fu, B. 2014. Unbalanced sediment budgets in the catchment–alluvial fan system of the Kuitun River (northern Tian Shan, China): Implications for mass-balance estimates, denudation and sedimentation rates in orogenic systems. *Geomorphology*, 214: 168–182.
- Jordan, C., Ayres, T.R., Brown, A., Linsky, J.L. & Simon, T. 1987. *Monthly Notices of the Royal Astronomical Society*. Oxford University Press.
- Junfeng, L., Runqing, H., Yanqin, S., Jingli, S., Bhattacharya, S.C. & Abdul Salam, P. 2005. Assessment of sustainable energy potential of non-plantation biomass resources in China. *Biomass and Bioenergy*, 29(3): 167–177.
- Kaltschmitt, M., Streicher, W. & Wiese, A. 2007. *Renewable Energy: Technology, Economics and Environment*. Berlin: Springer Berlin Heidelberg.
- Kask, Ü., Kask, L. & Paist, A. 2007. Reed as energy resource in Estonia. In: I. Ikonen & E. Hagelberg eds. *Read Up on Reed!* Turku: Vammalan Kirjapaino Oy, 102–114.
- Kask, Ü. 2011. Reed as bio-energy: opportunities to use it in boiler-houses and as biogas source. In: *Reed for bio-energy and Construction*. 2011, 11 March 2011: Kaarina, Finland.
- Kennedy, I.R., Pereg-gerk, L.L., Wood, C., Deaker, R. & Gilchrist, K. 1997. Biological nitrogen fixation in non-leguminous field crops: Facilitating

## References

- the evolution of an effective association between *Azospirillum* and wheat. *Plant and Soil*, 194(1-2): 65–79.
- Kentula, M.E. 2002. Wetland Restoration and Creation. [Online]. 2002. Wetlands Research Program, U.S. Environmental Protection Agency. Available from: <https://water.usgs.gov/nwsum/WSP2425/restoration.html> [Accessed: 4 May 2014].
- Kerkhoff, A.J., Fagan, W.F., Elser, J.J. & Enquist, B.J. 2006. Phylogenetic and growth form variation in the scaling of nitrogen and phosphorus in the seed plants. *The American Naturalist*, 168(4): E103–E122.
- Kerschbaumer, L., Köbbing, J.F., Ott, K., Thevs, N. & Zerbe, S. 2014. Development Scenarios on Hetao Irrigation Area (China) – A qualitative analysis from social, economic and ecological perspectives. *Environmental Earth Sciences*, DOI: 10.1007/s12665-014-3061-8.
- Kerschbaumer, L. & Ott, K. 2013. Maintaining a River’s Healthy Life? An Inquiry on Water Ethics and Water Praxis in the Upstream Region of China’s Yellow River. *Water Alternatives*, 6(1): 107–124.
- Kim, J.S.S. 2007. A China Environmental Health Project Fact Sheet: Transboundary Air Pollution—Will China Choke On Its Success? [Online]. 2007. Available from: [http://www.wilsoncenter.org/sites/default/files/transboundary\\_feb2.pdf](http://www.wilsoncenter.org/sites/default/files/transboundary_feb2.pdf) [Accessed: 14 March 2014].
- Kim, K.Y., Jordan, D. & McDonald, G.A. 1998. Enterobacter agglomerans, phosphate solubilizing bacteria, and microbial activity in soil: Effect of carbon sources. *Soil Biology and Biochemistry*, 30(8–9): 995–1003.
- Kim, Y.C., Leveau, J., McSpadden Gardener, B.B., Pierson, E.A., Pierson, L.S. & Ryu, C.-M. 2011. The multifactorial basis for plant health promotion by plant-associated bacteria. *Applied and Environmental Microbiology*, 77(5): 1548–1555.
- Kitzler, H., Pfeifer, C. & Hofbauer, H. 2012. Combustion of Reeds in a 3 MW District Heating Plant. *International Journal of Environmental Science and Development*, 3(4): 407–411.
- Kitzler, H., Pfeifer, C. & Hofbauer, H. 2011. Gasification of reed in a 100kW dual fluidized bed steam gasification. In: 19<sup>th</sup> European Biomass Conference & Exhibition. June 2011, Berlin, Germany, 1101–1105.



- Kloepper, J.W., Gutiérrez-Estrada, A. & McInroy, J.A. 2007. Photoperiod regulates elicitation of growth promotion but not induced resistance by plant growth-promoting rhizobacteria. *Canadian Journal of Microbiology*, 53(2): 159–167.
- Knoef, H.A.M. 2005. Practical aspects of biomass gasification. In: H. A. M. Knoef ed. *Handbook Biomass Gasification*. Meppel: Biomass Technology Group BV.
- Köbbing, J.F., Beckmann, V., Thevs, N., Peng, H. & Zerbe, S. 2014a. Investigation of a reed economy (*Phragmites australis*) under threat: pulp and paper market, values and netchain at Wuliangshuai Lake, Inner Mongolia, China. Technical Report. Greifswald, Germany: Institute for Botany and Landscape Ecology, University Greifswald.
- Köbbing, J.F., Patuzzi, F., Baratieri, M., Beckmann, V., Thevs, N., & Zerbe, S. 2014b. Economic evaluation of common reed potential for energy production: A case study in Wuliangshuai Lake (Inner Mongolia, China). *Biomass and Bioenergy*, 70, 315–329. doi:10.1016/j.biombioe.2014.08.002
- Köbbing, J.F., Thevs, N. & Zerbe. 2013. The utilisation of Reed (*Phragmites australis*) – A review. *Mires and Peat*, 13: 1–14.
- Kole, M.M., Page, W.J. & Altosaar, I. 1988. Distribution of *Azotobacter* in Eastern Canadian soils and in association with plant rhizospheres. *Canadian Journal of Microbiology*, 34: 815–817.
- Komulainen, M., Simi, P., Hagelberg, E., Ikonen, I. & Lyytinen, S. 2008. Reed energy - Possibilities of using the common reed for energy generation in southern Finland. Turku: Turku University of Applied Sciences.
- Koziński, J.A., Saade, R. & Zheng, G. 1996. Transformations of sludge waste during combustion in a low-high-low temperature reactor. *Symposium (International) on Combustion*, 26(2): 2495–2502.
- Krebs, A. 1999. *Ethics of Nature*. Berlin: DeGruyter Verlag.
- Kreuzberg, E. 2005. Ecosystem approach in basin management in Central Asia: From theory to practice (on the example of Ili-Balkhash Basin). In: *International Meeting on the Implementation of the European Water Framework Directive*, 29 September – 1 October 2005. 2005, Namur, Belgium: Regional Environmental Centre of Central Asia (CAREC).

## References

- Kristiana, R. 2009. Sustainability assessment in water management: The application and development of the Index of Sustainable Functionality on various water resources. Perth, Western Australia: University of Western Australia.
- Krivitzki, A.I. 1959. Das Schilfrohr als Rohstoff für die Erzeugung von Baumaterialien - Primen. Kam. V. Stroit. Moscow: Gosstroizdat.
- Kronbergs, E., Kaktis, A., Smits, M. & Nulle, I. 2006. Biomass condition for solid biofuel compositions. In: M. Barz & M. Alhhaus eds. Use of Bioenergy in the Baltic Sea Region. 2006, 83–92.
- Kronbergs, E. & Kronbergs, A. 2011. Common reed as solid biofuel resource. In: 8–9 September 2011 ed. COFREEN Project. 2011, Matsalu, Estonia: European Regional Development Fund.
- Ku, C.S. & Mun, S.P. 2006. Characterization of Pyrolysis Tar Derived from Lignocellulosic Biomass. *Journal of Industrial and Engineering Chemistry*, 12(6): 853–861.
- Kuhlman, T., Diogo, V. & Koomen, E. 2013. Exploring the potential of reed as a bioenergy crop in the Netherlands. *Biomass and Bioenergy*, 55: 41–52.
- Kumar, M. & Khanna, S. 2010. Diversity of 16S rRNA and dioxygenase genes detected in coal-tar-contaminated site undergoing active bioremediation. *Journal of Applied Microbiology*, 108(4): 1252–1262.
- Kusler & Kentula. 1990. Wetland creation and restoration: The status of the science. 2<sup>nd</sup> Ed. Washington, D.C.: Island Press.
- Kuzmina, Z. V & Treshkin, S.Y. 1997. Soil salinization and dynamics of Tugai vegetation in the southwestern Caspian Sea region and in the Aral Sea coastal region. *Eurasien Soil Science*, 30: 642–649.
- Kwapinski, W., Byrne, C.M.P., Kryachko, E., Wolfram, P., Adley, C., Leahy, J.J., Novotny, E.H. & Hayes, M.H.B. 2010. Biochar from Biomass and Waste. *Waste and Biomass Valorization*, 1(2): 177–189.
- Lambertini, C., Gustafsson, M.H.G., Frydenberg, J., Speranza, M. & Brix, H. 2008. Genetic diversity patterns in *Phragmites australis* at the population , regional and continental scales. *Aquatic Botany*, 88: 160–170.
- Lang, C. 2007. Pulp Mill Watch Factsheet. Country profiles: China. [Online]. 2007. Available from: [www.pulpmillwatch.org](http://www.pulpmillwatch.org) [Accessed: 15 February 2014].

- Lange, T. 2006. Orientierende Versuche zum Einsatz von Getreide und halmgutartiger Biomasse in einer Kleinf Feuerungsanlage. FH Stralsund.
- Lauber, C.L., Strickland, M.S., Bradford, M.A. & Fierer, N. 2008. The influence of soil properties on the structure of bacterial and fungal communities across land-use types. *Soil Biology and Biochemistry*, 40(9): 2407–2415.
- Lavrenko, E.M. 1956. Karta rastitelnosti srednej Asii (Vegetation Map of Central Asia). Moscow: Akademijca a NAUK SSSR.
- Lear, G. & Lewis, G.D. 2009. Impact of catchment land use on bacterial communities within stream biofilms. *Ecological Indicators*, 9(5): 848–855.
- Lee, H. 2011. Handbook of Bioenergy Crops. A Complete Reference to Species, Development and Applications. *International Journal of Agricultural Sustainability*, 9(3): 473.
- Leonard, K.M. & Swanson, G.W. 2001. Comparison of operational design criteria for subsurface flow constructed wetlands for wastewater treatment. *Water Science and Technology*, 43: 301–307.
- Leung, D.Y.C., Yin, X.L. & Wu, C.Z. 2004. A review on the development and commercialization of biomass gasification technologies in China. *Renewable and Sustainable Energy Reviews*, 8(6): 565–580.
- Li, C. & Suzuki, K. 2009. Tar property, analysis, reforming mechanism and model for biomass gasification—An overview. *Renewable and Sustainable Energy Reviews*, 13(3): 594–604.
- Li, L., Han, W., Thevs, N., Jia, X., Ji, C., Jin, D., He, P., Schmitt, A.O., Cirella, G.T. & Zerbe, S. 2014a. A Comparison of the Functional Traits of Common Reed (*Phragmites australis*) in Northern China: Aquatic vs. Terrestrial Ecotypes. *PloS ONE*, 9(2): e89063. doi:10.1371/journal.pone.0089063
- Li, L., Zerbe, S., Han, W., Thevs, N., Li, W., He, P., Schmitt, A.O., Liu, Y. & Ji, C. 2014b. Nitrogen and phosphorus stoichiometry of common reed (*Phragmites australis*) and its relationship to nutrient availability in northern China. *Aquatic Botany*, 112: 84–90.
- Li, P., Yang, T., Shi, H., Wu, X. & Qin, Y. 2012a. Income and expenditure of the herdsman in Inner Mongolia Autonomous Region: A case study of

## References

- Xianghuang Banner in Xilin Gol League. *Asian Agricultural Research*, 4(9): 26–39.
- Li, Q., Feng, Q. & Zhai, L. 2010a. Study of the height growth dynamic based on tree-ring data in *Populus euphratica* from the lower reach of the Heihe River, China. *Dendrochronologia*, 28(1): 49–64.
- Li, X., Lua, L., Yangc, W. & Chenga, G. 2012b. Estimation of evapotranspiration in an arid region by remote sensing-A case study in the middle reaches of the Heihe River Basin. *International Journal of Applied Earth Observation and Geoinformation*, 17(1): 85–93.
- Li, Y. & Zhang, M. 2012. “The Pearl of the Northern Frontier” Wuliangsuhai may disappear. [Online]. 2012. Economic Information. Available from: [http://dz.jjckb.cn/www/pages/webpage2009/html/2012-08/06/content\\_48241.htm?div=-1](http://dz.jjckb.cn/www/pages/webpage2009/html/2012-08/06/content_48241.htm?div=-1) [Accessed: 20 December 2012].
- Li, Y.H., Zhu, J.N., Zhai, Z.H. & Zhang, Q. 2010b. Endophytic bacterial diversity in roots of *Phragmites australis* in constructed Beijing Cuihu Wetland (China). *FEMS Microbiology Letters*, 309: 84–93.
- Liao, Z. 1993. The environmental chemistry and biological effects of microelement. Beijing: China Environmental Science Press.
- Link, S., Kask, Ü., Paist, A., Siirde, A., Arvelakis, S., Hupa, M., Yrjas, P. & Külaots, I. 2013. Reed as a gasification fuel: a comparison with woody fuels. *Mires and Peat*, 13: 1–12.
- Liu, H., Jiang, G., Zhuang, H. & Wang, K. 2008. Distribution, utilization structure and potential of biomass resources in rural China: With special references of crop residues. *Renewable and Sustainable Energy Reviews*, 12(5): 1402–1418.
- Liu, M.G. 1997. Atlas of Physical Geography of China. Beijing: China Map Press.
- Liu, P.J., Zhang, L. & Fan, C.Q. 1990. The *Populus euphratica* resources along the Tarim River . Science, Technique,. K. Liang & P. J. Liu eds. Beijing: Investigation of Resources and the Environment along the the Tarim River through Remote Sensing and Documentation Press.
- Liu, P.X., Peng, J.F. & Chen, F.H. 2007a. Hydrological Response of *Populus euphratica* Olve. Radial Growth in Ejina Banner, Inner Mongolia. *Journal of Integrative Plant Biology*, 49: 150–156.

- Liu, W.T., Marsh, T.L., Cheng, H. & Forney, L.J. 1997. Characterization of microbial diversity by determining terminal restriction fragment length polymorphisms of genes encoding 16S rRNA. *Applied and Environmental Microbiology*, 63(11): 4516–4522.
- Liu, Z., Jin, Z., Li, Y., Li, T., Gu, J. & Gao, S. 2007b. Sediment phosphorus fractions and profile distribution at different vegetation growth zones in a macrophyte dominated shallow Wuliangshuai Lake, China. *Environmental Geology*, 52(5): 997–1005.
- Lovley, D.R. 1995. Microbial reduction of iron, manganese, and other metals. *Advances in Agronomy*, 54: 175–231.
- Lozupone, C. & Knight, R. 2007. Global patterns in bacterial diversity. *Proceedings of the National Academy of Sciences of the United States of America*, 104(27): 11436–40.
- Lu, H., Burbank, D.W. & Li, Y. 2009. Alluvial sequence in the north piedmont of the Chinese Tian Shan over the past 550kyr and its relationship to climate change. *Palaeogeography, Palaeoclimatology, Palaeoecology*, doi: 10.1016/j.palaeo.2009.11.031.
- Lu, J., Zhong, S., Li, L. & Pan, S. 2007. Analysis of ecological restoration of inland desert oasis based on remote sensing. [Online]. 2007. Available from: <http://www.digitwater.net/articleinfo.asp?IDD113> [Accessed: 15 December 2013].
- Lüderitz, V. & Jüpner, R. 2009. Renaturierung von Fließgewässern. In: S. Zerbe & G. Wiegand eds. *Renaturierung von Ökosystemen in Mitteleuropa*. Heidelberg: Spektrum Akademischer Verlag, 95–124.
- Lüderitz, V., Zerbe, S., Jüpner, R. & Arevalo, J.R. 2010. Ecosystem restoration and sustainable management of rivers and wetlands – Introduction to the special issue. *Forest Ecology, Landscape Research and Nature Conservation*, 10: 5–6.
- De Maeseneer, J.L. 1997. Constructed wetlands for sludge dewatering. In: *Water Science and Technology*. 1997, 279–285.
- Man, R. De & Croon, F. 2007. YRD Green Pulp Partnership Frank Croon. [Online]. 2007. YRD Green Pulp Partnership. Available from: <http://rdeman.nl/site/download/GreenPulpPartnershipHelsinki20071.pdf> [Accessed: 13 December 2013].

## References

- Mant, J. & Janes, M. 2006. Restoration of rivers and floodplains. In: J. van Andel & J. Aronson eds. *Restoration ecology: The new frontier*. Malden, Mass: Blackwell Science, 141–157.
- Margesin, R. & Schinner, F. 2001. Bioremediation (natural attenuation and biostimulation) of diesel-oil-contaminated soil in an alpine glacier skiing area. *Applied and Environmental Microbiology*, 67(7): 3127–3133.
- Margulies, M., Egholm, M., Altman, W.E., Attiya, S., Bader, J.S., Bembien, L.A., Berka, J., Braverman, M.S., Chen, Y.-J., Chen, Z., Dewell, S.B., Du, L., Fierro, J.M., Gomes, X. V, Godwin, B.C., He, W., Helgesen, S., Ho, C.H., Irzyk, G.P., Jando, S.C., Alenquer, M.L.I., Jarvie, T.P., Jirage, K.B., Kim, J.-B., Knight, J.R., Lanza, J.R., Leamon, J.H., Lefkowitz, S.M., Lei, M., Li, J., Lohman, K.L., Lu, H., Makhijani, V.B., McDade, K.E., McKenna, M.P., Myers, E.W., Nickerson, E., Nobile, J.R., Plant, R., Puc, B.P., Ronan, M.T., Roth, G.T., Sarkis, G.J., Simons, J.F., Simpson, J.W., Srinivasan, M., Tartaro, K.R., Tomasz, A., Vogt, K.A., Volkmer, G.A., Wang, S.H., Wang, Y., Weiner, M.P., Yu, P., Begley, R.F. & Rothberg, J.M. 2005. Genome sequencing in microfabricated high-density picolitre reactors. *Nature*, 437(7057): 376–380.
- McGeoch, M.A. 1998. The selection, testing and application of terrestrial insects as bioindicators. *Biological Reviews of the Cambridge Philosophical Society*, 73(2): 181–201.
- McGill, B.J., Enquist, B.J., Weiher, E. & Westoby, M. 2006. Rebuilding community ecology from functional traits. *Trends in Ecology and Evolution*, 21(4): 178–185.
- Mckentry, P. 2002. Energy production biomass (part 1): Overview of biomass. *Bioresource Technology*, 83: 37–46.
- MEA. 2005. *Ecosystems and Human Well-Being: Wetlands and Water Synthesis*. World Resources Institute ed. Washington, DC: Millennium Ecosystem Assessment.
- Micsinai, A., Borsodi, A.K., Csengeri, V., Horváth, A., Oravec, O., Nikolausz, M., Reskóné, M.N. & Márialigeti, K. 2003. Rhizome-associated bacterial communities of healthy and declining reed stands in Lake Velencei, Hungary. *Hydrobiologia*, 506–509(1–3): 707–713.

- Mills, R., Perrigo, R., Brown, A., Rafty, M., Imberger, J., Wood, C., Pearce, D., Zuvela, P. & Siano, C. 2005. Sustainable Subiaco: The local scale application of the index of sustainable functionality. [Online]. 2005. Rethinking Development: Local Pathways to Global Wellbeing, The Second International Conference on Gross National Happiness. Available from: <http://www.gpiatlantic.org/conference/papers/mills.htm> [Accessed: 12 January 2014].
- Mills, S. 2013. Sustainable management of reedbeds for conservation. In: Reed as a Renewable Resource. 2013, 14–16 February 2013: University of Greifswald.
- Moch, J. 2013. Renewable Energy In China: An Overview. Climate and Energy Program, World Resources Institute, [Online]. Available from: <http://www.chinafaqs.org/library/chinafaqs-renewable-energy-china-overview-0> [Accessed: 12 October 2013].
- MoEP & QSIQ. 2002. Environmental quality standards for surface water. [Online]. 2002. Ministry of Environmental Protection of the People's Republic of China and State Administration for Quality Supervision and Inspection and Quarantine. Available from: <http://english.mep.gov.cn/soe/soechina1997/water/standard.htm> [Accessed: 12 October 2010].
- MOFCOM. 2012. Hu Jintao's Report at Eighteenth Party Congress. [Online]. 2012. Ministry of Commerce, PRC. Available from: <http://english.mofcom.gov.cn/> [Accessed: 30 April 2014].
- Morgan, P. & Watkinson, R.J. 1989. Hydrocarbon degradation in soils and methods for soil biotreatment. *Critical Reviews in Biotechnology*, 8(4): 305–333.
- Mothes, F., Reiche, N., Fiedler, P., Moeder, M. & Borsdorf, H. 2010. Capability of headspace based sample preparation methods for the determination of methyl tert-butyl ether and benzene in reed (*Phragmites australis*) from constructed wetlands. *Chemosphere*, 80(4): 396–403.
- Muyzer, G., Hottenträger, S., Teske, A. & Wawer, C. 1996. Denaturing gradient gel electrophoresis of PCR-amplified 16S rDNA a new molecular approach to analyse the genetic diversity of mixed microbial communities. *Molecular Microbial Ecology Manual*, 3: 1–23.

## References

- MWR. 2004. Pilot experiences of establishing a water-saving society in China. Ministry of Water Resources ed. Beijing: China Water Press.
- NDRC & MoWR. 1998. Plan on annual allocation of water and plan on mainstream water regulation of the Yellow. National Development and Reform Commission of the People's Republic of China and Ministry of Water Resources of the People's Republic of China.
- NDRC. 2006. China's National Climate Change Program. National Assessment Report on Climate Change. [Online]. 2006. Available from: <http://www.china.org.cn/english/environment/213624.htm> [Accessed: 18 November 2013].
- Neefs, J.M., Van de Peer, Y., De Rijk, P., Chapelle, S. & De Wachter, R. 1993. Compilation of small ribosomal subunit RNA structures. *Nucleic Acids Research*, 21(13): 3025–3049.
- Nelson, V. 2011. Introduction to Renewable Energy. A. Ghassemi ed. CRC Press, Taylor & Francis Group.
- Nemergut, D.R., Robeson, M.S., Kysela, R.F., Martin, A.P., Schmidt, S.K. & Knight, R. 2008. Insights and inferences about integron evolution from genomic data. *BMC genomics*, 9: 261.
- New Economics Foundation. 2006. Happy Planet Index. [Online]. 2006. Available from: <http://www.happyplanetindex.org/> [Accessed: 4 October 2013].
- Norton, B.G. 2005. Sustainability: A Philosophy of Adaptive Ecosystem Management. Chicago: University of Chicago Press.
- Novikova, N.M. 2001. Ecological Basis for Botanical Diversity Conservation within the Amudarya and Syrdarya River Delta. In: S. W. Breckle, M. Veste, & W. Wucherer eds. *Sustainable Land-use in Deserts*. Heidelberg, Germany: Springer, 84–94.
- OECD. 2013. OECD Economic Surveys: China. [Online]. 2013. Available from: [http://www.oecd-ilibrary.org/economics/oecd-economic-surveys-china\\_20725027](http://www.oecd-ilibrary.org/economics/oecd-economic-surveys-china_20725027) [Accessed: 22 July 2013].
- Ogar, N.P.P. 2003. Vegetation of river valleys. In: E. I. Rachkovskaya, E. A. Volkova, & V. N. Khramtsov eds. *Botanical geography of Kazakhstan and middle Asia (Desert region)*. Komarov Botanical Institute of Russian Academy of Sciences. Saint Petersburg, Institute of Botany and



- Phytointroduction of Ministry of Education and Science of Republic Kazakhstan. Almaty, Institute of Botany of Academy of Sciences of Republik Uzbekistan, 313–339.
- Ostendorp, W. 1999. Management Impacts on Stand Structure of Lakeshore *Phragmites* Reeds. *International Review of Hydrobiology*, 84: 33–47.
- Ott, K. 1997. *Ipso Facto*. Frankfurt: Suhrkamp Verlag.
- Ott, K. 2008. A Modest Proposal of How to Proceed in Order to Solve the Problem of Inherent Moral Value in Nature. In: L. Westra, K. Bosselmann, & R. Westra eds. *Reconciling Human Existence with Ecological Integrity*. London: Earthscan, 39–60.
- Ott, K. 2010. *Umweltethik zur Einführung*. Hamburg: Junius Verlag.
- Ott, K. 2014. Institutionalizing Strong Sustainability: A Rawlsian Perspective. *Sustainability*, 6(2): 894–912.
- Ott, K. & Döring, R. 2008. *Theorie und Praxis starker Nachhaltigkeit*. Marburg: Metropolis-Verlag.
- Ott, K., Muraca, B. & Baatz, C. 2011. Strong Sustainability as a Frame for Sustainability Communication. In: J. Godemann & G. Michelsen eds. *Sustainability Communication: Interdisciplinary Perspectives and Theoretical Foundation*. Dordrecht: Springer Netherlands, 13–25.
- Paavilainen, L. 1998. Modern non-wood pulp mill - process concepts and economic aspects. In: *North America Nonwood Fiber Symposium Proceedings*. 1998, 17–18 February 1998: Atlanta, Georgia.
- Pacific Institute. 2014. *Sustainable Water Management - Local to Global*. [Online]. 2014. Available from: [www.pacinst.org](http://www.pacinst.org) [Accessed: 30 April 2014].
- Park, M. 2009. Pollutants Removal and Distribution of Microorganisms in a Reed Wetland of Shanghai. *Environmental Progress*, 28: 240–248.
- Park, N., Vanderford, B.J., Snyder, S.A., Sarp, S., Kim, S.D. & Cho, J. 2009. Effective controls of micropollutants included in wastewater effluent using constructed wetlands under anoxic condition. *Ecological Engineering*, 35(3): 418–423.
- Park, Y.-K., Yoo, M.L., Heo, H.S., Lee, H.W., Park, S.H., Jung, S.-C., Park, S.-S. & Seo, S.-G. 2012. Wild reed of Suncheon Bay: Potential bio-energy source. *Renewable Energy*, 42: 168–172.

## References

- Parr, L.B. & Mason, C.F. 2003. Long-term trends in water quality and their impact on macroinvertebrate assemblages in eutrophic lowland rivers. *Water Research*, 37(12): 2969–2979.
- Patuzzi, F., Mimmo, T., Cesco, S., Gasparella, A. & Baratieri, M. 2013a. Common reeds (*Phragmites australis*) as sustainable energy source: Experimental and modelling analysis of torrefaction and pyrolysis processes. *GCB Bioenergy*, 5(4): 367–374.
- Patuzzi, F., Roveda, D., Mimmo, T., Karl, J. & Baratieri, M. 2013b. A comparison between on-line and off-line tar analysis methods applied to common reed pyrolysis. *Fuel*, 111: 689–695.
- Pei-dong, Z., Guomei, J. & Gang, W. 2007. Contribution to emission reduction of CO<sub>2</sub> and SO<sub>2</sub> by household biogas construction in rural China. *Renewable and Sustainable Energy Reviews*, 11(8): 1903–1912.
- Perelet, R. 2007. Central Asia: Background Paper on Climate Change. [Online]. 2007. UNDP: Human Development Report 2007/2008. Available from: [http://hdr.undp.org/en/reports/global/hdr2007-2008/papers/perelet\\_renat.pdf](http://hdr.undp.org/en/reports/global/hdr2007-2008/papers/perelet_renat.pdf) [Accessed: 18 January 2014].
- Perelo, L.W. 2010. Review: In situ and bioremediation of organic pollutants in aquatic sediments. *Journal of Hazardous Materials*, 177(1-3): 81–89.
- Pérez-Harguindeguy, N., Díaz, S., Garnier, E., Lavorel, S., Poorter, H., Jaureguiberry, P., Bret-Harte, M.S., Cornwell, W.K., Craine, J.M., Gurvich, D.E., Urcelay, C., Veneklaas, E.J., Reich, P.B., Poorter, L., Wright, I.J., Ray, P., Enrico, L., Pausas, J.G., de Vos, A.C., Buchmann, N., Funes, G., Quétier, F., Hodgson, J.G., Thompson, K., Morgan, H.D., ter Steege, H., van der Heijden, M.G.A., Sack, L., Blonder, B., Poschlod, P., Vaieretti, M. V, Conti, G., Staver, A.C., Aquino, S. & Cornelissen, J.H.C. 2013. New handbook for standardised measurement of plant functional traits worldwide. *Australian Journal of Botany*, 61(3): 167–234.
- Perrow, M.R. & Davy, A.J. 2002. Handbook of ecological restoration (Vol. 1 and 2). In: Cambridge, UK: Cambridge University Press.
- Piao, S., Ciais, P., Huang, Y., Shen, Z., Peng, S., Li, J., Zhou, L., Liu, H., Ma, Y., Ding, Y., Friedlingstein, P., Liu, C., Tan, K., Yu, Y., Zhang, T. & Fang, J. 2010. The impacts of climate change on water resources and agriculture in China. *Nature*, 467(7311): 43–51.

- Piddock, L.J. V. 2006. Multidrug-resistance efflux pumps – not just for resistance. *Nature reviews. Microbiology*, 4(8): 629–636.
- Pilon-Smits, E. 2005. Phytoremediation. *Annual Review of Plant Biology*, 56: 15–39.
- Po, M., Kaercher, J.D. & Nancarrow, B.E. 2003. Literature Review of Factors Influencing Public Perceptions of Water Reuse, Canberra.
- Poole, K. 2005. Efflux-mediated antimicrobial resistance. *The Journal of Antimicrobial Chemotherapy*, 56(1): 20–51.
- Pöyry. 2006. Technical Report, Modules 2–7. In: China: Technical Assistance for the Sustainable Development of the Non-wood Pulp and Paper Industry. Shanghai: Pöyry Forest Industry Co. Ltd.
- Prando, D., Patuzzi, F., Pernigotto, G., Gasparella, A. & Baratieri, M. 2013. Biomass CHP Systems for Residential Applications: A Multi-Stage Modeling Approach. In: K. Kabele, M. Urban, K. Suchý, & M. Lain eds. CLIMA 2013 - 11<sup>th</sup> REHVA World Congress and the 8<sup>th</sup> International Conference on Indoor Air Quality, Ventilation and Energy Conservation in Buildings. June 2013, Prague: Society of Environmental Engineering (STP), 3309–3318.
- Prashar, P., Kapoor, N. & Sachdeva, S. 2013. Rhizosphere: its structure, bacterial diversity and significance. *Reviews in Environmental Science and Bio/Technology*, 1705: 1–15.
- Prins, M.J., Ptasiński, K.J. & Janssen, F.J.J.G. 2006. More efficient biomass gasification via torrefaction. *Energy*, 31(15): 3458–3470.
- Qi, S. & Cai, Y. 2007. Mapping and Assessment of Degraded Land in the Heihe River Basin, Arid Northwestern China. *Sensors*, 7(11): 2565–2578.
- Qi, S.-Z. & Luo, F. 2005. Water environmental degradation of the Heihe River Basin in arid northwestern China. *Environmental Monitoring and Assessment*, 108(1–3): 205–215.
- Quan, W.M., Han, J.D., Shen, A.L., Ping, X.Y., Qian, P.L., Li, C.J., Shi, L.Y. & Chen, Y.Q. 2007. Uptake and distribution of N, P and heavy metals in three dominant salt marsh macrophytes from Yangtze River estuary, China. *Marine Environmental Research*, 64(1): 21–37.

## References

- RCW. 2005. Ramsar Convention on Wetlands of International Importance. [Online]. 2005. Ramsar Convention on Wetlands. Available from: <http://www.ramsar.org/> [Accessed: 19 February 2011].
- Redefining Progress. 1995. Genuine Progress Indicator. [Online]. 1995. Available from: [http://rprogress.org/sustainability\\_indicators/genuine\\_progress\\_indicator.htm](http://rprogress.org/sustainability_indicators/genuine_progress_indicator.htm) [Accessed: 20 July 2013].
- Rees, W. 1992. Ecological footprints and appropriated carrying capacity: What urban economics leaves out. *Environment and Urbanization*, 4(2): 121–130.
- Reich, P.B. & Oleksyn, J. 2004. Global patterns of plant leaf N and P in relation to temperature and latitude. *Proceedings of the National Academy of Sciences of the United States of America*, 101(30): 11001–11006.
- Reichel, F. 2013. Bauschilf (Construction reed). In: [Online]. 2013. Available from: <http://www.bauschilf.at/produkte.htm> [Accessed: 30 April 2013].
- Ringler, C., Cai, X., Wang, J., Ahmed, A., Xue, Y., Xu, Z., Yang, E., Jianshi, Z., Zhu, T., Cheng, L., Yongfeng, F., Xinfeng, F., Xiaowei, G. & You, L. 2010. Yellow River basin: living with scarcity. *Water International*, 35(5): 681–701.
- Rockne, K.J., Chee-Sanford, J.C., Sanford, R.A., Hedlund, B.P., Staley, J.T. & Strand, S.E. 2000. Anaerobic naphthalene degradation by microbial pure cultures under nitrate-reducing conditions. *Applied and Environmental Microbiology*, 66(4): 1595–1601.
- Rodewald-Rudescu, L. 1958. Schilfrohr und Fischkultur im Donaudelta (Reed and fish culture in the Danube Delta). *Archiv für Hydrobiologie*, 54(3): 303–339.
- Rodewald-Rudescu, L. 1974. Das Schilfrohr (The reed stalk). E. Schweizerbart'sche Verlagsbuchhandlung (Nägele u. Obermiller) Stuttgart.
- Rösch, C., Mergel, A. & Bothe, H. 2002. Biodiversity of denitrifying and dinitrogen-fixing bacteria in an acid forest soil. *Applied and Environmental Microbiology*, 68(8): 3818–3829.

- Rosemond, A.D., Mulholland, P.J. & Elwood, J.W. 1993. Top-Down and Bottom-Up Control of Stream Periphyton: Effects of Nutrients and Herbivores. *Ecology*, 74(4): 1264–1280.
- Royal Government of Bhutan. 1999. Gross National Happiness. [Online]. 1999. Available from: <http://www.grossnationalhappiness.com/> [Accessed: 14 July 2013].
- Rudescu, L., Niculescu, C. & Chivu, I.P. 1965. Monografia stufului din Delta Dunarii. Editura Academiei Republicii Socialiste Romania. Bucharest.
- Rüger, N., Schlüter, M. & Matthies, M. 2005. A fuzzy habitat suitability index for *Populus euphratica* in the Northern Amudarya delta (Uzbekistan). *Ecological Modelling*, 184(2–4): 313–328.
- Ruttkay, A., Tielech, S. & Veszprémi, B. 1964. Schilfrohwirtschaft. - Mezogazdasági Kiadó. Budapest: Landw. Verlag.
- Sainty, G. 1985. Weed control and utilization of aquatic control and utilization of aquatic plants of lake Edku and barsik fish farm - Egypt. Food and Agriculture Organization of the United Nations.
- Salt, D.E., Blaylock, M., Kumar, N.P., Dushenkov, V., Ensley, B.D., Chet, I. & Raskin, I. 1995. Phytoremediation: a novel strategy for the removal of toxic metals from the environment using plants. *Bio/technology (Nature Publishing Company)*, 13(5): 468–474.
- Savcor Indufor Oy. 2006. China. Technical Assistance for the Sustainable Development of the Non-Wood Pulp and Paper Industry. Impact assessment. UNEP.
- SBZC. 2003. Statistics Yearbook of Zhangye City. Zhangye, China: Zhangye Press.
- Schäfer, A. 1999. Schilfrohrkultur auf Niedermoor - Rentabilität des Anbaus und der Ernte von *Phragmites australis*. *Archiv für Naturschutz und Landschaftsforschung*, 38: 193–216.
- Schelwald-van der Kley, L. & Reijerkerk, L. 2014. Water: A way of life. [Online]. 2014. Available from: <http://www.waterandculture.org> [Accessed: 9 April 2014].
- Schuster, J. 1985. Schilfverwertung - Erntestudie. In: Grosina: AGN-Forschungsprogramm und seine Umsetzung im Raum. 586–609.

## References

- Schutter, M., Sandeno, J. & Dick, R. 2001. Seasonal, soil type, and alternative management influences on microbial communities of vegetable cropping systems. *Biology and Fertility of Soils*, 34(6): 397–410.
- Shang, S., Cao, Y., Guang, R., Wang, Z., Zang, C. & Li, Y. 2011. Spatial temporal expansion of reed marsh in the Wuliangsuhai wetland in Inner Mongolia. In: *World Environmental and Water Resources Congress 2011*, 4840–4848.
- Shi, B., Ma, J., Wang, K., Gong, J., Zhang, C. & Liu, W. 2010. Effects of atmospheric elevated temperature on the growth, reproduction and biomass allocation of reclamation *Phragmites australis* in East Beach of Chongming Island. *Resources and Environment in the Yangtze Basin*, 19(4): 383–388.
- Simonet, P., Navarro, E., Rouvier, C., Reddell, P., Zimpfer, J., Dommergues, Y., Bardin, R., Combarro, P., Hamelin, J., Domenach, A.M., Gourbière, F., Prin, Y., Dawson, J.O. & Normand, P. 1999. Co-evolution between *Frankia* populations and host plants in the family Casuarinaceae and consequent patterns of global dispersal. *Environmental Microbiology*, 1(6): 525–533.
- Singer, R.S., Ward, M.P. & Maldonado, G. 2006. Can landscape ecology untangle the complexity of antibiotic resistance? *Nature reviews. Microbiology*, 4(12): 943–952.
- Sluis, T. Van Der, Rii, O., Poppens, R. & Lesschen, J.P. 2013. Reed resources in Poltava Oblast, Ukraine: biodiversity conservation and bioenergy production. In: *Reed as a Renewable Resource*. 2013, 14–16 February 2013: Greifswald, Germany.
- Smalla, K., Wieland, G., Buchner, A., Zock, A., Parzy, J., Kaiser, S., Roskot, N., Heuer, H. & Berg, G. 2001. Bulk and rhizosphere soil bacterial communities studied by denaturing gradient gel electrophoresis: plant-dependent enrichment and seasonal shifts revealed. *Applied and Environmental Microbiology*, 67(10): 4742–4751.
- Smith, S.D., Devitt, D.A., Sala, A., Cleverly, J.R. & Busch, D.E. 1998. Water relations of riparian plants from warm desert regions. *Wetlands*, 18(4): 687–696.

- Smole, M.S., Hribernik, S., Kleinschek, K.S. & Kreže, T. 2013. Plant fibres for textile and technical applications. *Advances in Agrophysical Research*, 369–397.
- Snow, C.P. 1959. *The Two Cultures*. Canto 1993. London: Cambridge University Press.
- Snow, C.P. 1990. *The Two Cultures*. *Leonardo*, 23(2): 169–173.
- Sogin, M.L., Morrison, H.G., Huber, J.A., Mark Welch, D., Huse, S.M., Neal, P.R., Arrieta, J.M. & Herndl, G.J. 2006. Microbial diversity in the deep sea and the underexplored “rare biosphere”. *Proceedings of the National Academy of Sciences of the United States of America*, 103(32): 12115–12120.
- Song, Y.D., Fan, Z.L., Lei, Z.D. & Zhang, F.W. 2000. *Research on Water Resources and Ecology of Tarim River, China (Zhongguo Talim He Shui Ziyuan yu Shangtai Wenti Yanjiu)*. Urumqi: Xinjiang Peoples Press (Xinjiang Renmin Chubanshe).
- Southichak, B., Nakano, K., Nomura, M., Chiba, N. & Nishimura, O. 2006. *Phragmites australis*: A novel biosorbent for the removal of heavy metals from aqueous solution. *Water Research*, 40(12): 2295–2302.
- Sowers, K.R. & May, H.D. 2013. In situ treatment of PCBs by anaerobic microbial dechlorination in aquatic sediment: Are we there yet? *Current Opinion in Biotechnology*, 24(3): 482–488.
- State Forestry Bureau. 2014. National Wetland Inventory Survey (2009–2013). [Online]. 2014. The Nature Conservancy Chinese Department. Available from: <http://www.shidi.org/> [Accessed: 25 April 2014].
- Stenman, H. 2008. Reed construction on the Baltic Sea region. Reports from Turku University of Applied Sciences.
- Stepanauskas, R., Glenn, T.C., Jagoe, C.H., Tuckfield, R.C., Lindell, A.H., King, C.J. & McArthur, J. V. 2006. Coselection for microbial resistance to metals and antibiotics in freshwater microcosms. *Environmental Microbiology*, 8(9): 1510–1514.
- Strezov, V., Evans, T.J. & Hayman, C. 2008. Thermal conversion of elephant grass (*Pennisetum purpureum* Schum) to bio-gas, bio-oil and charcoal. *Bioresource Technology*, 99(17): 8394–8399.

## References

- Su, N., Zhang, J. & Wang, Y. 1994. The pollution and evaluation of Cd in soil in Hujian Province. *Acta Hujian Agriculture University*, 23: 434–439.
- Sukhova, G. V. & Gladyshev, A.I. 1980. Ecological and anatomical characteristics of Tugai vegetation in the Amu Darya USSR bottom land. *Izvestiya Akademii Nauk Turkmenskoi Ssr Seriya Biologicheskikh Nauk*.
- Sun, M.Y., Dafforn, K.A., Brown, M. V. & Johnston, E.L. 2012. Bacterial communities are sensitive indicators of contaminant stress. *Marine Pollution Bulletin*, 64(5): 1029–1038.
- Sutcu, H. 2008. Pyrolysis of *Phragmites Australis* and characterization of liquid and solid products. *Journal of Industrial and Engineering Chemistry*, 14(5): 573–577.
- Taisan. 2009. Suitability of Using *Phragmites australis* and *Tamarix aphylla* as Vegetation Filters in Industrial Areas. *American Journal of Environmental Sciences*, 5(740): 747.
- TEEB. 2010. *The Economics of Ecosystems and Biodiversity: Ecological and Economic Foundations*. Earthscan ed. London and Washington, DC.
- Temperton, V.M. & Kirr, K. 2004. Order of arrival and availability of safe sites: An example of their importance for plant community assembly in stressed ecosystems. V. M. Temperton, R. J. Hobbs, T. Nuttle, & S. Halle eds. Washington, DC: Island Press.
- Thevs, N. 2007. *Ecology, Spatial Distribution, and Utilisation of the Tugai Vegetation at the Middle Reaches of the Tarim River, Xinjiang, China*. Göttingen: Cuvillier.
- Thevs, N., Buras, A., Zerbe, S., Kuhnel, E., Abdusalih, N. & Ovezberdiyeva, A. 2012. Structure and wood biomass of near-natural floodplain forests along the Central Asian rivers Tarim and Amu Darya. *Forestry*, 85(2): 193–202.
- Thevs, N., Ovezmuradov, K., Zanjani, L.V. & Zerbe, S. 2014. Water consumption of agriculture and natural ecosystems at the Amu Darya in Lebap Province, Turkmenistan. *Environmental Earth Sciences*. doi: 10.1007/s12665-014-3084-1.
- Thevs, N., Peng, H., Rozi, A., Zerbe, S. & Abdusalih, N. (2015). Water allocation and water consumption of irrigated agriculture and natural



- vegetation in the Aksu-Tarim river basin, Xinjiang, China. *Journal of Arid Environments*, 112, Part A, 87–97. doi:10.1016/j.jaridenv.2014.05.028
- Thevs, N., Rozi, A., Kubal, C. & Abdusalih, N. 2013. Water consumption of agriculture and natural ecosystems along the Tarim River, China. *Geo-Öko*, 34: 50–76.
- Thevs, N., Zerbe, S., Gahlert, E., Mijit, M. & Succow, M. 2007. Productivity of reed (*Phragmites australis* Trin. ex Steud.) in continental-arid NW China in relation to soil, groundwater, and land-use. *Journal of Applied Botany and Food Quality-Angewandte Botanik*, 81(1): 62–68.
- Thevs, N., Zerbe, S., Peper, J. & Succow, M. 2008a. Vegetation and vegetation dynamics in the Tarim River floodplain of continental-arid Xinjiang, NW China. *Phytocoenologia*, 38(1): 65–84.
- Thevs, N., Zerbe, S., Schnittler, M., Abdusalih, N. & Succow, M. 2008b. Structure, reproduction and flood-induced dynamics of riparian Tugai forests at the Tarim River in Xinjiang, NW China. *Forestry*, 81(1): 45–57.
- Thevs, N., Zerbe, S., Wucherer, W., Buras, A. & Bo, T. 2011. Ecology and utilization of salt-tolerant plants in the river basins of Central Asia. *Ecological Questions*, 14: 19–20.
- Thomas, F.M., Foetzki, A., Arndt, S.K., Bruelheide, H., Gries, D., Li, X., Zeng, F., Zhang, X. & Runge, M. 2006. Water use by perennial plants in the transition zone between river oasis and desert in NW China. *Basic and Applied Ecology*, 7(3): 253–267.
- Tian, Z., Zheng, B., Liu, M. & Zhang, Z. 2009. *Phragmites australis* and *Typha orientalis* in removal of pollutant in Taihu Lake, China. *Journal of Environmental Sciences*, 21(4): 440–446.
- Timmermann, T., Joosten, H. & Succow, M. 2009. Restaurierung von Mooren. In: S. Zerbe & G. Wiegand eds. *Renaturierung von Ökosystemen in Mitteleuropa*. Spektrum Akademischer Verlag, Heidelberg, 55–93.
- Townend, J. 2002. *Practical statistics for environmental and biological scientists*. West Sussex, England: John Wiley & Sons, Ltd.
- Treshkin, S.Y. 2001. The Tugai Forests of Floodplain of the Amudarya River: Ecology, Dynamics and their Conservation. In: S. W. Breckle, M. Veste, & W. Wucherer eds. *Sustainable Land-use in Deserts*. Heidelberg, Germany: Springer, 95–102.

## References

- Tutt, M. & Olt, J. 2011. Suitability of various plant species for bioethanol production. *Agronomy Research Biosystem Engineering Special Issue*, (1): 261–267.
- Udvardi, M. & Poole, P.S. 2013. Transport and metabolism in legume-rhizobia symbioses. *Annual Review of Plant Biology*, 64: 781–805.
- UN. 1992. Convention on Biological Diversity. [Online]. 1992. United Nations. Available from: <http://www.cbd.int/doc/legal/cbd-en.pdf> [Accessed: 19 February 2011].
- UN. 1987. Our Common Future: Report of the World Commission on Environment and Development. General Assembly Resolution 42/187, United Nations.
- UN. 2000. United Nations Millennium Development Goals. [Online]. 2000. Available from: <http://www.un.org/millenniumgoals/> [Accessed: 24 October 2013].
- UNDP. 2012. Asia-Pacific Human Development Report 2012 – One Planet to Share: Sustaining Human Progress in a Changing Climate. London: Routledge.
- UNDP. 2010. Human Development Index: United Nations Development Programme (UNDP). [Online]. 2010. Available from: <http://hdr.undp.org/en/statistics/hdi/> [Accessed: 17 July 2013].
- UNEP. 2001. The Mesopotamian Marshlands: Demise of an Ecosystem. Nairobi, Kenya.
- UNESCO. 2006. Transboundary aquifers in Asia with special emphasis to China. [Online]. 2006. UNESDOC Database. Available from: <http://unesdoc.unesco.org/images/0014/001483/148390e.pdf> [Accessed: 27 March 2014].
- UNESCO. 2009. The United Nations World Water Development Report 3: Water in a Changing World. In: Earthscan ed. World Water Assessment Programme. 349.
- UNESCO. 2012. The United Nations World Water Development Report 4: Managing Water Under Uncertainty and Risk. In: Earthscan ed. World Water Assessment Programme. 407.

- UNESCO. 2014. Karez Wells: Tentative List. [Online]. 2014. World Heritage List Nominations. Available from: <http://whc.unesco.org/en/tentativelists/5347/> [Accessed: 9 April 2014].
- Unger-Shayesteh, K., Vorogushyn, S., Farinotti, D., Gafurov, A., Duethmann, D., Mandychhev, A. & Merz, B. 2013. What do we know about past changes in the water cycle of Central Asian headwaters? A review. *Global and Planetary Change*, 110: 4–25.
- Urbanska, K.M., Hurka, H., Landolt, E., Neuffer, B. & Mummenhoff, K. 1997. Hybridization and evolution in *Cardamine* (Brassicaceae) at Urnerboden, Central Switzerland: Biosystematic and molecular evidence.
- USDA. 2012. China - Peoples Republic of Cotton and Products Annual. [Online]. 2012. GAIN Report Number: CH12031. Available from: <http://www.thefarmsite.com/reports/contents/chinacotmay12.pdf> [Accessed: 5 December 2013].
- USGS. 2011. Map of Wuliangshuai Lake: Border of Wuliangshuai Lake drawn from TM image acquired August 2011. [Online]. 2011. United States Geological Survey. Available from: [www.usgs.gov](http://www.usgs.gov) [Accessed: 12 November 2011].
- Valverde, A., Velázquez, E., Gutiérrez, C., Cervantes, E., Ventosa, A. & Igual, J.-M. 2003. *Herbaspirillum lusitanum* sp. nov., a novel nitrogen-fixing bacterium associated with root nodules of *Phaseolus vulgaris*. *International Journal of Systematic and Evolutionary Microbiology*, 53(Pt6): 1979–1983.
- VanAndel, J. & Aronson, J. 2006. *Restoration ecology. The new frontier.* Oxford: Blackwell Publishers.
- Villegas-Navarro, A., Romero González, M.C., Rosas López, E., Domínguez Aguilar, R. & Sachetín Marçal, W. 1999. Evaluation of *Daphnia magna* as an indicator of toxicity and treatment efficacy of textile wastewaters. *Environment International*, 25(5): 619–624.
- Vladár, P., Rusznyák, A., Márialigeti, K. & Borsodi, A.K. 2008. Diversity of sulfate-reducing bacteria inhabiting the rhizosphere of *Phragmites australis* in Lake Velencei (Hungary) revealed by a combined cultivation-based and molecular approach. *Microbial Ecology*, 56(1): 64–75.

## References

- Vogel, T.M. 1996. Bioaugmentation as a soil bioremediation approach. *Current Opinion in Biotechnology*, 7(3): 311–316.
- Vymazal, J., Kröpfelová, L., Švehla, J., Chrástný, V. & Štíhová, J. 2009. Trace elements in *Phragmites australis* growing in constructed wetlands for treatment of municipal wastewater. *Ecological Engineering*, 35(2): 303–309.
- Vymazal, J., Švehla, J., Kröpfelová, L., Němcová, J. & Suchý, V. 2010. Heavy metals in sediments from constructed wetlands treating municipal wastewater. *Biogeochemistry*, 101: 335–356.
- Wang, G., Cheng, G. & Shen, Y. 2002. Eco-environmental variations and control strategies in Heihe Corridor region in the past 50 years. *Journal of Natural Resource*, 17(1): 78–86.
- Wang, G., Liu, J. & Tang, J. 2004. The long-term nutrient accumulation with respect to anthropogenic impacts in the sediments from two freshwater marshes (Xianghai Wetlands, Northeast China). *Water Research*, 38: 4462–4474.
- Wang, S., Li, J. & Shi, S. 2001. Geological disease caused by ecological environment: An example of a cancer-inflicted village in Shanxi Province. *Environmental Protection*, 5: 42–43.
- Wang, S.J., Chen, B.H. & Li, H.Q. 1996. *Euphrates Poplar Forest*. Beijing: China Environmental Science Press.
- Wang, Y. & Liang, S. 2013. Carbon dioxide mitigation target of China in 2020 and key economic sectors. *Energy Policy*, 58: 90–96.
- Wayman, M. 1973. *Guide for planning pulp and paper enterprises*. Food and Agriculture Organization Forestry and Forest Products Studies No. 18.
- Weis, J.S. & Weis, P. 2004. Metal uptake, transport and release by wetland plants: implications for phytoremediation and restoration. *Environment International*, 30(5): 685–700.
- Westermann, J., Zerbe, S. & Eckstein, D. 2008. Age structure and growth of degraded *Populus euphratica* floodplain forests in North-west China and perspectives for their recovery. *Journal of integrative plant biology*, 50: 536–546.

- White, G. 2009. The future of reedbed management. Information and Advice Note, 7 July 2009, RSPB.
- Wiehle, M., Eusemann, P., Thevs, N. & Schnittler, M. 2009. Root suckering patterns in *Populus euphratica* (Euphrates poplar, Salicaceae). *Trees*, 23(5): 991–1001.
- WLI. 2012. Wetland Link International. [Online]. 2012. The Wetlands of Central Asia and the Ramsar Convention. Available from: <http://wli.wwt.org.uk/2012/10/members/asia/asia-news/international-conference-the-wetlands-of-central-asia-and-the-ramsar-convention/> [Accessed: 12 April 2013].
- Woese, C.R. 1987. Bacterial Evolution. *Microbiology and Molecular Biology Reviews*, 51: 221–271.
- Wright, I.J., Reich, P.B., Westoby, M., Ackerly, D.D., Baruch, Z., Bongers, F., Cavender-Bares, J., Chapin, T., Cornelissen, J.H.C., Diemer, M., Flexas, J., Garnier, E., Groom, P.K., Gulias, J., Hikosaka, K., Lamont, B.B., Lee, T., Lee, W., Lusk, C., Midgley, J.J., Navas, M.-L., Niinemets, U., Oleksyn, J., Osada, N., Poorter, H., Poot, P., Prior, L., Pyankov, V.I., Roumet, C., Thomas, S.C., Tjoelker, M.G., Veneklaas, E.J. & Villar, R. 2004. The worldwide leaf economics spectrum. *Nature*, 428(6985): 821–827.
- Wu, B. & Ci, L.J. 2002. Landscape change and desertification development in the Mu Us Sandland, Northern China. *Journal of Arid Environments*, 50(3): 429–444.
- Wu, J., Ma, L., Yu, H., Zeng, H., Liu, W. & Abuduwaili, J. 2013. Sediment geochemical records of environmental change in Lake Wuliangsu, Yellow River Basin, north China. *Journal of Paleolimnology*, 50(2): 245–255.
- Wu, N., Qiao, M., Zhang, B., Cheng, W.-D. & Zhu, Y.-G. 2010. Abundance and diversity of tetracycline resistance genes in soils adjacent to representative swine feedlots in China. *Environmental Science & Technology*, 44(18): 6933–6939.
- Wu, W. 2012. Why should attention be paid to Wuliangsu? [Online]. 2012. People's Daily. Available from: [http://www.qstheory.cn/st/stsp/201206/t20120614\\_164046.htm](http://www.qstheory.cn/st/stsp/201206/t20120614_164046.htm) [Accessed: 20 December 2012].
- Wulate Qianqi Government. 2012. Statistics Office. Wulate Qianqi, China.

## References

- WWF and IUCN. 1996. Forests for Life - The WWF/IUCN forest policy book. Surrey: WWF-UK.
- WWF. 2005. Living Planet Index. [Online]. 2005. Available from: <http://wwf.panda.org/> [Accessed: 17 July 2013].
- Xia, J., Zuo, Q. & Pang, J. 2001. Enlightenment on sustainable management of water resources from past practices in the Bositeng Lake basin, Xinjiang, China. In: Regional Management of Water Resources. 2001, IAHS Scientific Assembly at Maastrich, 41–48.
- Xiao, D.N. & Li, X.Z. 2004. Ecological and environmental function of wetland landscape in the Liaohe Delta. In: Developments in Ecosystems. Elsevier B.V., 35–46.
- Xinjiang Linkeyuan Zaolin Zhisha Yanjiusuo. 1989. Huyanglin Gengxin Fuzhuang Jishu Yanjiu. Urumqi: Xinjiang Linkeyuan Zaolin Zhisha Yanjiusuo.
- Yamian, Z., Yifei, J., Shengwu, J., Qing, Z., Duoduo, F., Yumin, G., Guangchun, L., Zhang, Y., Jia, Y., Jiao, S., Zeng, Q., Feng, D., Guo, Y. & Lei, G. 2012. Wuliangshai Wetlands: A critical Habitat for Migratory Water Birds. *Journal of Resources and Ecology*, 3(4): 316–323.
- Yang, Q., Yin, X., Wu, C., Wu, S. & Guo, D. 2012. Thermogravimetric-Fourier transform infrared spectrometric analysis of CO<sub>2</sub> gasification of reed (*Phragmites australis*) kraft black liquor. *Bioresource Technology*, 107: 512–6.
- Ye, S., Brix, H. & Sun, D. 2013. Large-scale management of common reed, *Phragmites australis*, for paper production: a case study from the Liaohe River Delta, China. In: International Conference “Reed as a Renewable Resource” 14–16 February 2013. 2013, Greifswald, Germany: Institute for Botany and Landscape Ecology, University of Greifswald.
- Ye, Z., Baker, A.J.M., Wong, M.H. & Willis, A.J. 1997. Zinc, Lead and Cadmium Tolerance, Uptake and Accumulation by the Common Reed, *Phragmites australis* (Cav.) Trin. ex Steudel. *Annals of Botany*, 80(3): 363–370.
- Yimit, H., He, L., Halik, W. & Giese, E. 2006. Water resource development and its environmental effects in the Tarim River floodplain. In: T. Hoppe, B. Kleinschmit, B. Roberts, N. Thevs, & Ü. Halik eds. Watershed and

- Floodplain Management along the Tarim River in China's Arid Northwest. Aachen: Shaker, 91–107.
- Yu, J., Vodyanik, M.A., Smuga-Otto, K., Antosiewicz-Bourget, J., Frane, J.L., Tian, S., Nie, J., Jonsdottir, G.A., Ruotti, V., Stewart, R., Slukvin, I.I. & Thomson, J.A. 2007. Induced pluripotent stem cell lines derived from human somatic cells. *Science*, 318(5858): 1917–1920.
- Yuan, J., Xu, Y., Zhang, X., Hu, Z. & Xu, M. 2014. China's 2020 clean energy target: Consistency, pathways and policy implications. *Energy Policy*, 65: 692–700.
- Van der Zanden, A.M.M. & Cook, T.W. 2011. *Sustainable Landscape Management: Design, Construction, and Maintenance*. Wiley.
- Zeng, Q., Zhang, Y., Jia, Y., Jiao, S., Feng, D., Bridgewater, P. & Lei, G. 2012. Zoning for management in wetland nature reserves: A case study using Wuliangsu Hai Nature Reserve, China. *SpringerPlus*, 1(1): 23.
- Zerbe, S., Halik, Ü. & Kuchler, J. 2006. Urban greening in the oases of continental arid Southern Xinjiang (NW China) – an interdisciplinary approach. *Die Erde*, 136: 245–266.
- Zerbe, S. & Thevs, N. 2011. Restoring Central Asian floodplain ecosystems as natural capital and cultural heritage in a continental desert environment. In: S. K. Hong, J. Wu, J. E. Kim, & N. Nakagoshi eds. *Landscape Ecology in Asian Cultures*, Ecological Research Monographs. Springer.
- Zerbe, S. & Wiegand, G. 2009. *Renaturierung von Ökosystemen in Mitteleuropa*. Spektrum Akademischer Verlag, Heidelberg.
- Zhang, H., Shen, W.S., Wang, Y.S. & Zou, C.X. 2005. Study on grassland grazing capacity in the Heihe River Basin. *Journal of Natural Resources*, 20: 514–521.
- Zhang, J. 2012. Länderreport Strohenergie in China. In: A. Schütte & A. Vetter eds. *Gülzower Fachgespräche - 2. Fachtagung Strohenergie*. March 2012, Berlin: Fachagentur Nachwachsende Rohstoffe e.V. (FNR), 26–27.
- Zhang, J.J. & Smith, K.R. 2007. Household air pollution from coal and biomass fuels in China: Measurements, health impacts, and interventions. *Environmental Health Perspectives*, 115(6): 848–855.

## References

- Zhang, K., Chang, J., Guan, Y., Chen, H., Yang, Y. & Jiang, J. 2013a. Lignocellulosic biomass gasification technology in China. *Renewable Energy*, 49: 175–184.
- Zhang, N. 1999. Advance of the research on heavy metals in soil-plant system. *Advance in Environmental Science*, 7: 30–33.
- Zhang, W., Wu, X., Liu, G., Chen, T., Zhang, G., Dong, Z., Yang, X. & Hu, P. 2013b. Pyrosequencing Reveals Bacterial Diversity in the Rhizosphere of Three *Phragmites australis* Ecotypes. *Geomicrobiology Journal*, 30(7): 593–599.
- Zhang, Y., Yu, J., Wang, P. & Fu, G. 2011. Vegetation responses to integrated water management in the Ejina basin, northwest China. *Hydrological Processes*, 25: 3448–3461.
- Zhao, H., Yan, H., Zhang, C., Liu, X., Xue, Y., Qiao, Y., Tian, Y. & Qin, S. 2011. Pyrolytic Characteristics and Kinetics of *Phragmites australis*. *Evidence-Based Complementary and Alternative Medicine*, 2011(9): 1–6.
- Zhou, X., Wang, F., Hu, H., Yang, L., Guo, P. & Xiao, B. 2011. Assessment of sustainable biomass resource for energy use in China. *Biomass and Bioenergy*, 35(1): 1–11.
- Zhou, Z., Wu, W., Chen, Q. & Chen, S. 2008. Study on sustainable development of rural household energy in northern China. *Renewable and Sustainable Energy Reviews*, 12(8): 2227–2239.
- Zhu, Y., Ren, L., Skaggs, T.H., Lue, H., Yu, Z., Wu, Y. & Fang, X. 2009. Simulation of *Populus euphratica* root uptake of groundwater in an arid woodland of the Ejina Basin, China. *Hydrological Processes*, 23(17): 2460–2469.
- Zhu, Z., Jiang, C., Zhong, M. & Huafu, W. 1998. Status, trends and prospects for non-wood and recycled fibre in China. *Asia-Pacific Forestry Sector Outlook Study Working Paper Series: FAO*.
- Ziegler, R. & Ott, K. 2011. The quality of sustainability science: A philosophical perspective. *Sustainability: Science, Practice, and Policy*, 7(1): 31–44.